




SHANDONG HOME TOP NEW MATERIAL CO.,LTD.
山东恒普新材料有限公司

ADD: Haoji High-end Industrial Park, Chiping County, Liaocheng City, Shandong Province, China.
地址: 山东省聊城市茌平县郝集高端产业园区
TEL 电话: +86 0635 2983818
FAX 传真: +86 0635 2983818
WEB 网址: www.hometopflooring.com



SPC FLOOR
YOUR RELIABLE FLOOR SUPPLIER



目录 CONTENTS



公司简介 Company Profile	01
品牌认证 Brand Certification	03
产品优势 Product Advantage	05
SPC 地板产品基本信息 SPC Flooring Normal Information	07
尺寸及表面形式 Different Dimensions And Surface Finish	09
普通 8p Wood Texture	13
同步纹 Embossed In Register	18
人字拼 Herringbone Pattern	21
大理石纹 Marble Litchi Texture	23
技术参数 Technical Parameter	27
地板配件 SPC Flooring Accessories	29
结束页 End Page	31

COMPLAY PROFILE | 公司简介 |



Located in Chiling County, Liaocheng City, Shandong Province, China. Shandong Home Top New Material Co., Ltd. is a professional export-oriented SPC flooring and Laminate flooring manufacturer. Adhering to the tenet of "Quality First, Customer First", the company provides customers with high-quality products and best services. We strictly implement ISO 9001 quality management system certification, ISO 14001:2005 environmental management system certification standards, and have passed SGS testing and CE certification. From procurement of raw material to production and processing, quality inspection and delivery, there are professionals who strictly control the quality of the products. Now our products are of stable quality and are exported to overseas markets such as North America, Europe, Australia and Southeast Asia, etc. And also are widely recognized by customers both at home and abroad.

Our company has always adhered to technological innovation and scientific management, making unremitting efforts to build an internationally renowned brand, providing new and old customers with efficient and high-quality R&D and production services, and striving to reach a consensus and win-win situation.

山东恒普新材料有限公司位于山东省聊城市茌平县郝集高端产业园，是一家专业以出口型为主的石塑地板和强化地板的生产企业。公司秉承“质量第一，客户至上”的宗旨，为广大客户提供优质的产品和服务。公司严格执行ISO 9001的质量管理体系认证，ISO 14001:2005环境管理体系认证标准，并且通过SGS检测和CE认证。从原材料采购到生产加工、质检出厂都有专业人员进行严格把关，产品质量稳定，且远销北美、欧洲、澳洲和东南亚等海外市场，深受海内外客户的高度认可。

公司始终坚持技术创新和管理科学化，为打造国际知名品牌而不懈努力，为新老客户提供高效优质的研发生产服务，力求各方达成共赢。

01 | HOME TOP



Rely on global manufacturing advantages to draw the quality of Home Top
依托全球制造优势 共享恒普品质

Over the years we have been focusing on quality certification, to ensure that we provide customers with quality products. As a result, we have been able to create products that are certified by certification bodies and blend at the technical and manufacturing levels with elegance and beauty to meet local regulations and environmental standards.

多年以来我们一直都关注质量的认证，来确保为客户提供优质的产品。由此以来，我们能够打造出由认证机构认证，并在技术和制造层面融合的优雅具有美感的产品，来适应当地的法规和环保标准。

从科技创新到产品革新

While retaining all the advantages of SPC flooring, Home Top's flooring also has good rigidity and a certain degree of toughness. The balance between rigidity and toughness ensures the firmness of the lock, toughness.

恒普保留了SPC地板所有的优点的同时还具有良好的刚性，也兼具一定的韧性，刚性和韧性相互平衡，保证锁扣的牢固度，高速下不发软，以及在低温下保持一定的韧性。

从专注研发到科学生产

Home Top focuses on the development and production of environmental protection products, while providing consumers with cost-effective health products as the goal. Home Top focuses on the development and production of environmental protection products, while providing consumers with cost-effective health products as the goal.

从企业满意到客户满意

As a part of the brand, service is also a responsibility to customers. As long as we do the service carefully, we can bring more quality assurance to customers. Service as a part of the brand, is also a responsibility to customers. As long as we do the service carefully, we can bring more quality assurance to customers.

HOME TOP | 02

SGS Professional Testing SGS专业检测



03 | HOME TOP



SPC Aldehyde free waterproof floor
Give you a different lifestyle home



无缝环保 超强防水 防火阻燃 纹理丰富 性能稳定

SPC FLOOR
YOUR RELIABLE FLOOR SUPPLIER



HOME TOP | 04

Super Wear-resistant
耐磨耐用

It has strong advantages in wear-resistant, scratch resistance and other indicators, so that the wear resistance of the flooring is far better than the other floors.

耐磨耐用、耐刮痕、耐磨性指标上具有较优的优势,使地板耐磨性能远远优于其他地板。

> SPC Flooring Advantages

Variety of Patterns and Colors
花色款式众多

SPC flooring has variety of designs, textures, styles, such as wood design, stone pattern, carpet design. All of them are very beautiful and looks like the real wood, stone, carpet. The customer can choose the color according to different needs.

石塑地板可选择的图案众多,花样丰富,有实木纹、大理石纹、地毯纹、具有天然木质感和纹理,可以模拟出已经广泛流行定制图案的颜色。

High Fireproof
防火阻燃

It can be effectively flame retardant, and the fire rating reaches B1-C1 level, it is self-extinguishing in case of fire, and does not produce any toxic gas, suitable for occasions with high fire protection requirements.

石塑地板具有阻燃性,防火等级达到B1级,遇火自熄,不产生任何有毒气体,适用于消防要求高的场合。

Easy Clean and Maintain
容易清理和维护

Like other vinyl flooring, SPC floors are very hygienic, as they have a sealed surface that prevents the penetration of bacteria.

像LVP地板一样,石塑地板的UV涂层有抗菌和抗污的功能,易于清洁和维护。

Anti-UV Rays
防晒升级

The UV coating of the stone plastic floor increases its resistance to wear caused by direct impact of sunlight and also has good solar features, making the floor resistant to ultraviolet rays and not easy to fade.

石塑地板的UV涂层增强了UV光线直射带来的紫外线,有效防止褪色变黄,使得地板长期使用不褪色。

We insist on the principle of quality

100% Free of Formaldehyde
无醛环保

SPC floor is the green and new type of floor material invented in response to national emission reductions. The main raw material of spc floor, polyvinyl chloride resin, is an environmentally friendly, non-toxic and recyclable material. 100% free of formaldehyde, lead, benzene, and no heavy metals. Add cardamom, no volatile material, no radiation, and natural environmental protection. The spc floor is reusable ground material, which will play an important role for protecting our earth's natural resources and ecological environment.

SPC地板是响应国家减排政策发明的一种绿色环保材料,SPC地板的主要原料聚氯乙烯树脂,是一种环保无毒材料,100%不含甲醛、铅、苯、不含重金属,且不辐射,天然环保,添加天然香料,无挥发性材料,无辐射,自然环保,对保护我们的地球环境,对于保护我们的自然资源具有重大意义。

100% Waterproof
超级防水

SPC floor has a very good waterproof effect, moisture-proof effect is also very good, and has mildew and other characteristics. Therefore, the SPC floor has a wider range of application. For example, SPC floor can be used in the bathroom, kitchen and balcony.

SPC地板具有非常优异的防水效果,防潮防水性能非常优异,而且可以铺贴墙面,因此SPC地板除了可以用于卫生间、厨房、阳台等还可以用于SPC墙贴。

Flooring with Lock System
锁扣地板

The lock floor is easier to install, the joints are tighter, the overall paving effect is good, and the floor also has the effect of locking heat. The overall paving effect is good, and the floor also has the effect of locking heat.

锁扣地板安装更简单,拼接更紧密,整体铺装效果更好,地板由于锁扣作用,锁紧密封空气,锁扣锁紧更紧密,减少了缝隙,减少了空气对流,整体铺装效果更好。

Reduce Noise
降低噪音

Running, jumping, and other activities will produce a sound, floor noise reduction, to meet all aspects of the user's requirements.

跑步、跳跃、溜冰,这些会产生声音,地板降低噪音,满足您全方位的需求。

Anti-slip
防滑性好

Anti-slip, compared with ordinary floor materials, SPC flooring has a coefficient that has more advantages when wet, and are less likely to slip, and become more anti-slip when it rains water. It is suitable for families with old people and children, and is the preferred ground material in public places with high public safety requirements, such as airports, hospitals, kindergartens, schools, etc.

防滑,SPC地板比普通材料防滑,地板防滑系数比传统木地板更高,更不容易滑倒,防滑系数高,适合老人小孩的家,在公共安全要求高的公共场所,如飞机场、医院、幼儿园、学校,有更佳的安全材料。

Suitable for Heating
适合地暖材料

SPC floor overcomes the defects of stone, ceramic tile, terrazzo tile, etc. It is the preferred product of floor heating thermal conduction floor. spc floor also has high flexibility, sound absorption, noise prevention and high temperature and low temperature resistance. Floor is suitable for the "temperature" "thermal" of the floor, the change does not affect the life and life cycle of the floor.

SPC地板克服了石材、陶瓷、大理石、水磨石、地毯、地毯等传统地板的缺点,SPC地板还具有高柔韧性,优异的导热和耐高温性能,等特点,地板更“温暖”、“温暖”的厚度变化,不影响地板的使用寿命和使用寿命。



定制 Custom
设计 Design
生活 Life

Don't let your vision limit your imagination. Multi-function and multi-choice, build my vision. "More reasonable size, better level of appearance, higher style", Comfort and style, let the beauty double!

不要让“视界”限制了你的想象力,多功能多选择,打造我的视界,“尺寸更合理,颜值更好,格调更高”,舒适有型,让美加倍!


SPC FLOOR
YOUR RELIABLE FLOOR SUPPLIER



HOME TOP | 06

SPC Floor Structure Diagram

SPC地板结构图



Wear Layer Thickness

耐磨层的厚度

0.2mm/0.3mm/0.5mm/0.7mm
Choose the different wear layer according to different commercial areas or the residential places

Different Click Type


地板不同的锁扣形式



Available Thickness

地板的厚度

SPC Flooring pure core thickness : 4mm 4.2mm 4.5mm 5mm 5.5mm 6mm 6.5mm
XPE OR EVA or CORK Pad thickness: 1.0mm/1.5mm/2mm



Available Size for the SPC Flooring 地板的尺寸

1) Normal wood design SPC flooring plank size:




2). Marble design spc flooring plank size:



Available SPC Flooring Surface Finish 不同的地板表面形式

Available spc flooring surface finish



SPC flooring different edge



SPC Floor BP wood texture

普通木纹



HC6054



HC6066




HM9006



HM9054

SPC Floor
BP wood texture
| 普通木纹 |



HM9070

13 | HOME TOP



HP8081



HS2002

HOME TOP | 14

SPC Floor
BP wood texture
| 普通木纹 |



15 | HOME TOP



HOME TOP | 16

畅享零醛新生活
Enjoy a new life of
zero aldehyde




- Fire Retardant
- Super scratch resistant
- Sound reduction
- Waterproof
- Stain Resistant
- Cigarette stain resistant
- Anti Slip
- Dimension Stable

17 | HOME TOP

Embossed in register | 同步 |



HOME TOP | 18



HV5006



HW3006

19 | HOME TOP

Embossed in register | 同步 |



ART HOME
100%
创意空间
Creative




HOME TOP | 20



Herringbone Pattern | 人字拼 |


ART LIFE

无醛环保 超强防水 防火阻燃 纹理丰富 性能稳定




HOME TOP | 22





25 | HOME TOP

Marble itchitecture
大理石纹理



HOME TOP | 26

SPC Flooring Technical Data

地板的技术参数

TEST ITEMS	TEST METHOD(S)	TEST RESULT
1 Dimensions	Length	ISO24342:2018
	Width	± 0.50 mm
2 Straightness/	Length	ISO24342:2018
Squareness	Width	± 0.20 mm
3 Overall Thickness		≤ 0.35 mm
4 Thickness of wear layer		≤ 0.25 mm
		Average + 0.13 /-0.1mm
5 Mass per unit area	ISO23997:2007(R2018)	Average+ 13% /-10%± 0.1mm
6 Locking strength	ISO10582:2017AnnexD	Average:7996g/m2 Deviation from nominal value:-0.05%
7 Color Fastness To Light	ISO105-002:2014;Method3	≥ 2.0KN/M
8 Classification	ISO 10874:2009	Comparison upto blue wool reference6;Grade (B,W,S):6
9 Dimensional stability	EN434:1994	Complied with class 23, class 32
10 Curling	EN434:1994	Average:X Direction:0.10% Y Direction:-0.05%
11 Effect of a Castor ChairEN431:1994	EN425:2002 Load:90kg Type of wheels: Type W Cycles:25000	Average:0.0mm
12 Peel Strength	En 431:1994 Loading rate:100mm/min	There are no visible damages caused by detachment of layers, opening of joints, and crazing.
13 Migration of Certain Elements	EN71-3:2019	X Direction:120N/50mm Y Direction:120N/50mm
14 Fire Resistance	EN13501	Not Detected
15 Sound Transmission Class	ASTM E90	PASS
16 Slip Resistance	EN13893 DIN51130 ASTM C-1028	Class BFLs1(B1)
17 Underfloor Heating	Floor Score DIBT	STC50
18 VOC Emission		Dry μ > 0.8 Wet μ > 0.6
19 BOX Packing	Visual	Suitable, max 27°C
		≤0.01mg/m3 (Method Detect Limit)
		As per customer requirements

27 | HOME TOP

Packaging and loading information

DIMENSION (mm)	PCS/BOX	SQM/BOX	WEIGHT /BOX	BOX /PALLET	PALLET /20'GP	SQM/ /20'GP	WEIGHT /20'GP
1220*184*4	10	2.2448	18.7	70	20	3143	26700kgs
1524*228*5	7	2.432304	25.30	68	14	2316	24590kgs
1800*228*6	5	2.052	25.70	60	14	1724	22000kgs

Above loading details is the normal specification customers buy, Pls contact us for more size details.



Our products has been sold to more than **50** countries, including Europe,America,Australia,South America,etc

HOME TOP | 28



SPC FLOORING ACCESSORIES

SPC 地板配件

<table border="1"> <tr><th colspan="2">规格表 End Cap</th></tr> <tr><td>Product number</td><td>FR002</td></tr> <tr><td>Flaming Thickness</td><td>mm 14</td></tr> <tr><td>Product Size</td><td>mm 2400x50x15</td></tr> <tr><td>Packing</td><td>PCS/BOX 25</td></tr> <tr><td>PCS/CTOP</td><td>25,000</td></tr> <tr><td>Packing in Pallet</td><td>25,000</td></tr> <tr><td>Box Size</td><td>mm 2400x1140x120</td></tr> <tr><td>Weight</td><td>kg 15.5</td></tr> <tr><td>Weight/Box</td><td>Pallet 15.5</td></tr> </table>	规格表 End Cap		Product number	FR002	Flaming Thickness	mm 14	Product Size	mm 2400x50x15	Packing	PCS/BOX 25	PCS/CTOP	25,000	Packing in Pallet	25,000	Box Size	mm 2400x1140x120	Weight	kg 15.5	Weight/Box	Pallet 15.5	<table border="1"> <tr><th colspan="2">规格表 Quarter Round</th></tr> <tr><td>Product number</td><td>FR003</td></tr> <tr><td>Flaming Thickness</td><td>mm 14</td></tr> <tr><td>Product Size</td><td>mm 2400x50x8</td></tr> <tr><td>Packing</td><td>PCS/BOX 25</td></tr> <tr><td>PCS/CTOP</td><td>25,000</td></tr> <tr><td>Packing in Pallet</td><td>25,000</td></tr> <tr><td>Box Size</td><td>mm 2400x1140x120</td></tr> <tr><td>Weight</td><td>kg 17</td></tr> <tr><td>Weight/Box</td><td>Pallet 17.5</td></tr> </table>	规格表 Quarter Round		Product number	FR003	Flaming Thickness	mm 14	Product Size	mm 2400x50x8	Packing	PCS/BOX 25	PCS/CTOP	25,000	Packing in Pallet	25,000	Box Size	mm 2400x1140x120	Weight	kg 17	Weight/Box	Pallet 17.5
规格表 End Cap																																									
Product number	FR002																																								
Flaming Thickness	mm 14																																								
Product Size	mm 2400x50x15																																								
Packing	PCS/BOX 25																																								
PCS/CTOP	25,000																																								
Packing in Pallet	25,000																																								
Box Size	mm 2400x1140x120																																								
Weight	kg 15.5																																								
Weight/Box	Pallet 15.5																																								
规格表 Quarter Round																																									
Product number	FR003																																								
Flaming Thickness	mm 14																																								
Product Size	mm 2400x50x8																																								
Packing	PCS/BOX 25																																								
PCS/CTOP	25,000																																								
Packing in Pallet	25,000																																								
Box Size	mm 2400x1140x120																																								
Weight	kg 17																																								
Weight/Box	Pallet 17.5																																								
<table border="1"> <tr><th colspan="2">规格表 Star Nose A</th></tr> <tr><td>Product number</td><td>FR004A</td></tr> <tr><td>Flaming Thickness</td><td>mm 14</td></tr> <tr><td>Product Size</td><td>mm 2400x50x15</td></tr> <tr><td>Packing</td><td>PCS/BOX 25</td></tr> <tr><td>PCS/CTOP</td><td>25,000</td></tr> <tr><td>Packing in Pallet</td><td>25,000</td></tr> <tr><td>Box Size</td><td>mm 2400x1140x120</td></tr> <tr><td>Weight</td><td>kg 15.5</td></tr> <tr><td>Weight/Box</td><td>Pallet 15.5</td></tr> </table>	规格表 Star Nose A		Product number	FR004A	Flaming Thickness	mm 14	Product Size	mm 2400x50x15	Packing	PCS/BOX 25	PCS/CTOP	25,000	Packing in Pallet	25,000	Box Size	mm 2400x1140x120	Weight	kg 15.5	Weight/Box	Pallet 15.5	<table border="1"> <tr><th colspan="2">规格表 Star Nose B</th></tr> <tr><td>Product number</td><td>FR004B</td></tr> <tr><td>Flaming Thickness</td><td>mm 14</td></tr> <tr><td>Product Size</td><td>mm 2400x50x15</td></tr> <tr><td>Packing</td><td>PCS/BOX 25</td></tr> <tr><td>PCS/CTOP</td><td>25,000</td></tr> <tr><td>Packing in Pallet</td><td>25,000</td></tr> <tr><td>Box Size</td><td>mm 2400x1140x120</td></tr> <tr><td>Weight</td><td>kg 15.5</td></tr> <tr><td>Weight/Box</td><td>Pallet 15.5</td></tr> </table>	规格表 Star Nose B		Product number	FR004B	Flaming Thickness	mm 14	Product Size	mm 2400x50x15	Packing	PCS/BOX 25	PCS/CTOP	25,000	Packing in Pallet	25,000	Box Size	mm 2400x1140x120	Weight	kg 15.5	Weight/Box	Pallet 15.5
规格表 Star Nose A																																									
Product number	FR004A																																								
Flaming Thickness	mm 14																																								
Product Size	mm 2400x50x15																																								
Packing	PCS/BOX 25																																								
PCS/CTOP	25,000																																								
Packing in Pallet	25,000																																								
Box Size	mm 2400x1140x120																																								
Weight	kg 15.5																																								
Weight/Box	Pallet 15.5																																								
规格表 Star Nose B																																									
Product number	FR004B																																								
Flaming Thickness	mm 14																																								
Product Size	mm 2400x50x15																																								
Packing	PCS/BOX 25																																								
PCS/CTOP	25,000																																								
Packing in Pallet	25,000																																								
Box Size	mm 2400x1140x120																																								
Weight	kg 15.5																																								
Weight/Box	Pallet 15.5																																								
<table border="1"> <tr><th colspan="2">规格表 Star Board</th></tr> <tr><td>Product number</td><td>FR005</td></tr> <tr><td>Flaming Thickness</td><td>mm 14</td></tr> <tr><td>Product Size</td><td>mm 2400x1140x15</td></tr> <tr><td>Packing</td><td>PCS/BOX 25</td></tr> <tr><td>PCS/CTOP</td><td>25,000</td></tr> <tr><td>Packing in Pallet</td><td>25,000</td></tr> <tr><td>Box Size</td><td>mm 2400x1140x120</td></tr> <tr><td>Weight</td><td>kg 15.5</td></tr> <tr><td>Weight/Box</td><td>Pallet 15.5</td></tr> </table>	规格表 Star Board		Product number	FR005	Flaming Thickness	mm 14	Product Size	mm 2400x1140x15	Packing	PCS/BOX 25	PCS/CTOP	25,000	Packing in Pallet	25,000	Box Size	mm 2400x1140x120	Weight	kg 15.5	Weight/Box	Pallet 15.5	<table border="1"> <tr><th colspan="2">规格表 Skirting Board</th></tr> <tr><td>Product number</td><td>FR006</td></tr> <tr><td>Flaming Thickness</td><td>mm 14</td></tr> <tr><td>Product Size</td><td>mm 2400x50x15</td></tr> <tr><td>Packing</td><td>PCS/BOX 25</td></tr> <tr><td>PCS/CTOP</td><td>25,000</td></tr> <tr><td>Packing in Pallet</td><td>25,000</td></tr> <tr><td>Box Size</td><td>mm 2400x1140x120</td></tr> <tr><td>Weight</td><td>kg 15.5</td></tr> <tr><td>Weight/Box</td><td>Pallet 15.5</td></tr> </table>	规格表 Skirting Board		Product number	FR006	Flaming Thickness	mm 14	Product Size	mm 2400x50x15	Packing	PCS/BOX 25	PCS/CTOP	25,000	Packing in Pallet	25,000	Box Size	mm 2400x1140x120	Weight	kg 15.5	Weight/Box	Pallet 15.5
规格表 Star Board																																									
Product number	FR005																																								
Flaming Thickness	mm 14																																								
Product Size	mm 2400x1140x15																																								
Packing	PCS/BOX 25																																								
PCS/CTOP	25,000																																								
Packing in Pallet	25,000																																								
Box Size	mm 2400x1140x120																																								
Weight	kg 15.5																																								
Weight/Box	Pallet 15.5																																								
规格表 Skirting Board																																									
Product number	FR006																																								
Flaming Thickness	mm 14																																								
Product Size	mm 2400x50x15																																								
Packing	PCS/BOX 25																																								
PCS/CTOP	25,000																																								
Packing in Pallet	25,000																																								
Box Size	mm 2400x1140x120																																								
Weight	kg 15.5																																								
Weight/Box	Pallet 15.5																																								
<table border="1"> <tr><th colspan="2">规格表 Skirting Board 60</th></tr> <tr><td>Product number</td><td>FR007</td></tr> <tr><td>Flaming Thickness</td><td>mm 14</td></tr> <tr><td>Product Size</td><td>mm 2400x60x15</td></tr> <tr><td>Packing</td><td>PCS/BOX 25</td></tr> <tr><td>PCS/CTOP</td><td>25,000</td></tr> <tr><td>Packing in Pallet</td><td>25,000</td></tr> <tr><td>Box Size</td><td>mm 2400x1140x120</td></tr> <tr><td>Weight</td><td>kg 15.5</td></tr> <tr><td>Weight/Box</td><td>Pallet 15.5</td></tr> </table>	规格表 Skirting Board 60		Product number	FR007	Flaming Thickness	mm 14	Product Size	mm 2400x60x15	Packing	PCS/BOX 25	PCS/CTOP	25,000	Packing in Pallet	25,000	Box Size	mm 2400x1140x120	Weight	kg 15.5	Weight/Box	Pallet 15.5	<table border="1"> <tr><th colspan="2">规格表 Skirting Board 80</th></tr> <tr><td>Product number</td><td>FR008</td></tr> <tr><td>Flaming Thickness</td><td>mm 14</td></tr> <tr><td>Product Size</td><td>mm 2400x80x15</td></tr> <tr><td>Packing</td><td>PCS/BOX 25</td></tr> <tr><td>PCS/CTOP</td><td>25,000</td></tr> <tr><td>Packing in Pallet</td><td>25,000</td></tr> <tr><td>Box Size</td><td>mm 2400x1140x120</td></tr> <tr><td>Weight</td><td>kg 15.5</td></tr> <tr><td>Weight/Box</td><td>Pallet 15.5</td></tr> </table>	规格表 Skirting Board 80		Product number	FR008	Flaming Thickness	mm 14	Product Size	mm 2400x80x15	Packing	PCS/BOX 25	PCS/CTOP	25,000	Packing in Pallet	25,000	Box Size	mm 2400x1140x120	Weight	kg 15.5	Weight/Box	Pallet 15.5
规格表 Skirting Board 60																																									
Product number	FR007																																								
Flaming Thickness	mm 14																																								
Product Size	mm 2400x60x15																																								
Packing	PCS/BOX 25																																								
PCS/CTOP	25,000																																								
Packing in Pallet	25,000																																								
Box Size	mm 2400x1140x120																																								
Weight	kg 15.5																																								
Weight/Box	Pallet 15.5																																								
规格表 Skirting Board 80																																									
Product number	FR008																																								
Flaming Thickness	mm 14																																								
Product Size	mm 2400x80x15																																								
Packing	PCS/BOX 25																																								
PCS/CTOP	25,000																																								
Packing in Pallet	25,000																																								
Box Size	mm 2400x1140x120																																								
Weight	kg 15.5																																								
Weight/Box	Pallet 15.5																																								

29 | HOME TOP


<table border="1"> <tr><th colspan="2">规格表 Skirting Board 70</th></tr> <tr><td>Product number</td><td>FR009</td></tr> <tr><td>Flaming Thickness</td><td>mm 14</td></tr> <tr><td>Product Size</td><td>mm 2400x70x15</td></tr> <tr><td>Packing</td><td>PCS/BOX 25</td></tr> <tr><td>PCS/CTOP</td><td>25,000</td></tr> <tr><td>Packing in Pallet</td><td>25,000</td></tr> <tr><td>Box Size</td><td>mm 2400x1140x120</td></tr> <tr><td>Weight</td><td>kg 15.5</td></tr> <tr><td>Weight/Box</td><td>Pallet 15.5</td></tr> </table>	规格表 Skirting Board 70		Product number	FR009	Flaming Thickness	mm 14	Product Size	mm 2400x70x15	Packing	PCS/BOX 25	PCS/CTOP	25,000	Packing in Pallet	25,000	Box Size	mm 2400x1140x120	Weight	kg 15.5	Weight/Box	Pallet 15.5	<table border="1"> <tr><th colspan="2">规格表 Skirting Board 80-1</th></tr> <tr><td>Product number</td><td>FR010-1</td></tr> <tr><td>Flaming Thickness</td><td>mm 14</td></tr> <tr><td>Product Size</td><td>mm 2400x80x15</td></tr> <tr><td>Packing</td><td>PCS/BOX 25</td></tr> <tr><td>PCS/CTOP</td><td>25,000</td></tr> <tr><td>Packing in Pallet</td><td>25,000</td></tr> <tr><td>Box Size</td><td>mm 2400x1140x120</td></tr> <tr><td>Weight</td><td>kg 15.5</td></tr> <tr><td>Weight/Box</td><td>Pallet 15.5</td></tr> </table>	规格表 Skirting Board 80-1		Product number	FR010-1	Flaming Thickness	mm 14	Product Size	mm 2400x80x15	Packing	PCS/BOX 25	PCS/CTOP	25,000	Packing in Pallet	25,000	Box Size	mm 2400x1140x120	Weight	kg 15.5	Weight/Box	Pallet 15.5
规格表 Skirting Board 70																																									
Product number	FR009																																								
Flaming Thickness	mm 14																																								
Product Size	mm 2400x70x15																																								
Packing	PCS/BOX 25																																								
PCS/CTOP	25,000																																								
Packing in Pallet	25,000																																								
Box Size	mm 2400x1140x120																																								
Weight	kg 15.5																																								
Weight/Box	Pallet 15.5																																								
规格表 Skirting Board 80-1																																									
Product number	FR010-1																																								
Flaming Thickness	mm 14																																								
Product Size	mm 2400x80x15																																								
Packing	PCS/BOX 25																																								
PCS/CTOP	25,000																																								
Packing in Pallet	25,000																																								
Box Size	mm 2400x1140x120																																								
Weight	kg 15.5																																								
Weight/Box	Pallet 15.5																																								
<table border="1"> <tr><th colspan="2">规格表 Skirting Board 50</th></tr> <tr><td>Product number</td><td>FR011</td></tr> <tr><td>Flaming Thickness</td><td>mm 14</td></tr> <tr><td>Product Size</td><td>mm 2400x50x15</td></tr> <tr><td>Packing</td><td>PCS/BOX 25</td></tr> <tr><td>PCS/CTOP</td><td>25,000</td></tr> <tr><td>Packing in Pallet</td><td>25,000</td></tr> <tr><td>Box Size</td><td>mm 2400x1140x120</td></tr> <tr><td>Weight</td><td>kg 15.5</td></tr> <tr><td>Weight/Box</td><td>Pallet 15.5</td></tr> </table>	规格表 Skirting Board 50		Product number	FR011	Flaming Thickness	mm 14	Product Size	mm 2400x50x15	Packing	PCS/BOX 25	PCS/CTOP	25,000	Packing in Pallet	25,000	Box Size	mm 2400x1140x120	Weight	kg 15.5	Weight/Box	Pallet 15.5	<table border="1"> <tr><th colspan="2">规格表 Skirting Board 100</th></tr> <tr><td>Product number</td><td>FR012</td></tr> <tr><td>Flaming Thickness</td><td>mm 14</td></tr> <tr><td>Product Size</td><td>mm 2400x100x15</td></tr> <tr><td>Packing</td><td>PCS/BOX 25</td></tr> <tr><td>PCS/CTOP</td><td>25,000</td></tr> <tr><td>Packing in Pallet</td><td>25,000</td></tr> <tr><td>Box Size</td><td>mm 2400x1140x120</td></tr> <tr><td>Weight</td><td>kg 15.5</td></tr> <tr><td>Weight/Box</td><td>Pallet 15.5</td></tr> </table>	规格表 Skirting Board 100		Product number	FR012	Flaming Thickness	mm 14	Product Size	mm 2400x100x15	Packing	PCS/BOX 25	PCS/CTOP	25,000	Packing in Pallet	25,000	Box Size	mm 2400x1140x120	Weight	kg 15.5	Weight/Box	Pallet 15.5
规格表 Skirting Board 50																																									
Product number	FR011																																								
Flaming Thickness	mm 14																																								
Product Size	mm 2400x50x15																																								
Packing	PCS/BOX 25																																								
PCS/CTOP	25,000																																								
Packing in Pallet	25,000																																								
Box Size	mm 2400x1140x120																																								
Weight	kg 15.5																																								
Weight/Box	Pallet 15.5																																								
规格表 Skirting Board 100																																									
Product number	FR012																																								
Flaming Thickness	mm 14																																								
Product Size	mm 2400x100x15																																								
Packing	PCS/BOX 25																																								
PCS/CTOP	25,000																																								
Packing in Pallet	25,000																																								
Box Size	mm 2400x1140x120																																								
Weight	kg 15.5																																								
Weight/Box	Pallet 15.5																																								

We have the flooring accessories to help you install a perfect SPC flooring.
地板配件,助您轻松打造装修精致小细节



HOME TOP | 30

Multiple ground availability | 多种地面可用 |
Multi-occasion matching | 多场合搭配 |



无醛环保 超强防水 防火阻燃 纹理丰富 性能稳定

31 | HOME TOP



HOME TOP | 32